

What is claimed is:

1 1. A gun rack for holding a firearm including a stock and a barrel, the
2 stock including a butt portion, the gun rack comprising:
3 a stock support assembly including a butt support member, the butt
4 portion of the firearm positionable in and supportable by the butt support
5 member; and
6 a barrel support assembly including a barrel clip for grasping placement
7 about an outer perimeter of a barrel of the firearm.

1 2. The gun rack of Claim 1 wherein the stock support assembly further
2 comprises at least one side stock support member connected to and extending
3 from the butt support member.

1 3. The gun rack of Claim 2 wherein the side stock support member
2 further comprises an aperture located near a distal end of the side stock support
3 member, a lock securable through the aperture and a trigger guard of the firearm
4 for securing the firearm to the stock support assembly.

1 4. The gun rack of Claim 2 wherein the side stock support member
2 further comprises an oblong aperture located near a distal end of the side stock
3 support member, a lock securable through the aperture and a trigger guard of the
4 firearm for securing the firearm to the stock support assembly.

1 5. The gun rack of Claim 1 further comprising:
2 a first mounting bracket, the stock support member pivotally mounted to
3 the first mounting bracket and pivotable about an axis of rotation; and
4 a second mounting bracket, the barrel clip pivotally mounted to the second
5 mounting bracket and pivotable about the axis of rotation.

1 6. The gun rack of Claim 1 wherein the barrel support assembly
2 further comprises a resilient barrel clip for grasping placement about a portion of
3 a circumference of a gun barrel.

1 7. The gun rack of Claim 1 wherein the barrel support assembly
2 further comprises a second side stock support member connected to and
3 extending from the butt support member, the first side stock support member
4 opposing the second side stock support member, the second side stock support
5 member including a substantially parallel orientation relative to the second side
6 stock support member.

1 8. The gun rack of Claim 7 further comprising:
2 the first side stock support member including a first aperture;
3 the second side stock support member including a second aperture; and
4 a lock securable through the first aperture, the second aperture and a
5 trigger guard of the firearm for securing the firearm to the stock support
6 assembly.

1 9. The gun rack of Claim 7 further comprising:
2 the first side stock support member including a first oblong aperture;
3 the second side stock support member including a second oblong
4 aperture; and
5 a lock securable through the first oblong aperture, the second oblong
6 aperture and a trigger guard of the firearm for securing the firearm to the stock
7 support assembly.

1 10. The gun rack of Claim 7 further comprising:
2 the stock support assembly including a first mounting bracket, the stock
3 support member pivotally mounted to the first mounting bracket and pivotable
4 about an axis of rotation; and
5 the barrel support assembly including a second mounting bracket, the
6 barrel clip pivotally mounted to the second mounting bracket and pivotable about

7 the axis of rotation.

1 11. A gun rack for holding a firearm including a stock and a barrel, the
2 stock including a butt portion, the gun rack comprising:
3 a stock support assembly including a butt support member, the stock
4 support assembly including at least one side stock support member connected to
5 and extending from the butt support member, the butt portion of the firearm
6 positionable in and supportable by the butt support member;
7 a barrel support assembly including a barrel clip for placement about an
8 outer perimeter of a barrel of the firearm;
9 a first mounting bracket, the stock support member pivotally mounted to
10 the first mounting bracket and pivotable about an axis of rotation; and
11 a second mounting bracket, the barrel clip pivotally mounted to the second
12 mounting bracket and pivotable about the axis of rotation.

1 12. The gun rack of Claim 11 wherein the side stock support member
2 further comprises an aperture located near a distal end of the side stock support
3 member, a lock securable through the aperture and a trigger guard of the firearm
4 for securing the firearm to the stock support assembly.

1 13. The gun rack of Claim 11 wherein the side stock support member
2 further comprises an oblong aperture located near a distal end of the side stock
3 support member, a lock securable through the aperture and a trigger guard of the
4 firearm for securing the firearm to the stock support assembly.

1 14. The gun rack of Claim 11 wherein the barrel support assembly
2 further comprises a resilient barrel clip for placement about a portion of a
3 circumference of a gun barrel.

1 15. The gun rack of Claim 11 wherein the barrel support assembly
2 further comprises a second side stock support member connected to and
3 extending from the butt support member, the first side stock support member

4 opposing the second side stock support member, the second side stock support
5 member including a substantially parallel orientation relative to the second side
6 stock support member.

1 16. The gun rack of Claim 15 further comprising:
2 the first side stock support member including a first aperture;
3 the second side stock support member including a second aperture; and
4 a lock securable through the first aperture, the second aperture and a
5 trigger guard of the firearm for securing the firearm to the stock support
6 assembly.

1 17. The gun rack of Claim 15 further comprising:
2 the first side stock support member including a first oblong aperture;
3 the second side stock support member including a second oblong
4 aperture; and
5 a lock securable through the first oblong aperture, the second oblong
6 aperture and a trigger guard of the firearm for securing the firearm to the stock
7 support assembly.

1 18. The gun rack of Claim 15 further comprising:
2 the stock support assembly including a first mounting bracket, the stock
3 support member pivotally mounted to the first mounting bracket and pivotable
4 about an axis of rotation; and
5 the barrel support assembly including a second mounting bracket, the
6 barrel clip pivotally mounted to the second mounting bracket and pivotable about
7 the axis of rotation.

1 19. A gun rack comprising:
2 a stock support assembly including a butt support member, the stock
3 support assembly including at least one side stock support member connected to
4 and extending from the butt support member, the butt portion of the firearm
5 positionable in and supportable by the butt support member; and

6 a barrel support assembly including a resilient barrel clip for grasping
7 placement about an outer perimeter of a firearm gun barrel;

8 a first mounting bracket, the stock support member pivotally mounted to
9 the first mounting bracket and pivotable about an axis of rotation; and

10 a second mounting bracket, the barrel clip pivotally mounted to the second
11 mounting bracket and pivotable about the axis of rotation.

1 20. The gun rack of Claim 19 further comprising:

2 the first side stock support member including a first aperture;

3 the second side stock support member including a second aperture; and

4 a lock securable through the first aperture, the second aperture and a
5 trigger guard of the firearm for securing the firearm to the stock support
6 assembly.